



SELBSTSICHERNDE  
MUTTERN

DIN 985

festigkeitsklasse  
8 10

d	M2	M3	M4	M5	M6	M8	M10	M12
m	2	2,4	2,9	3,2	4	5,5	6,5	8
s	4	5,5	7	8	10	13	17	19
h max	3	4	5	5	6	8	10	12
d	M14	M16	M18	M20	M22	M24	M27	M30
m	9,5	10,5	13	14	15	15	17	19
s	21	24	27	30	32	36	41	46
h max	14	16	18,5	20	22	24	27	30