



NAKRĘTKI SZEŚCIOKĄTNE

DIN 934

kl. właściwości mechanicznych:
8

d	M4	M5	M6	M7	M8	M10	M12	M14	M16	M18	M20
m	3,2	4	5	5,5	6,5	8	10	11	13	15	16
S	7	8	10	11	13	17	19	22	24	27	30
d	M22	M24	M27	M30	M33	M36	M39	M42	M45	M48	M52
m	18	19	22	24	26	29	31	34	36	38	42
s	32	36	41	46	50	55	60	65	70	75	80